

### COMPANY INFORMATION

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

### NICKEL TITANIUM

|                         |                   |
|-------------------------|-------------------|
| <b>DOCUMENT NUMBER:</b> | <b>SDS1</b>       |
| <b>REVISION DATE:</b>   | <b>09/26/2014</b> |
| <b>REVISION:</b>        | <b>REV. E</b>     |
| <b>NUMBER OF PAGES:</b> | <b>4</b>          |

### 1 – PRODUCT IDENTIFICATION

**PRODUCT NAME:** Niti, Nickel Titanium

**PRODUCT USE:** Orthodontic Wires, Springs, Straights & Spools

### 2 – HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

These products are not hazardous unless processed (i.e. ground, welded) in a manner that generates dust or fumes. Dust and fumes may cause eye, skin and respiratory irritation. May cause skin and respiratory tract sensitization (allergic reaction). Prolonged inhalation of dust or fumes from this product may cause perforation of the nasal septum and lung damage.

#### EU PREPARATION:

**CLASSIFICATION (1999/45/EC):** Xn; R40, R43, R48/23

### 3 – COMPOSITION INFORMATION ON INGREDIENTS

| Ingredient | CAS No./EINECS No     | Percent | EC Substance Classification (67/548/EEC) |
|------------|-----------------------|---------|--|
| Nickel     | 7440-02-0 / 231-111-4 | 45-60   | Xn R40, R43, R48/23                      |
| Titanium   | 7440-32-6 / 231-142-3 | 40-50   | Not Applicable                           |

### 4 – FIRST AID MEASURES

No first aid required for contact with solid product. The following information applies to contact from processing.

#### EYE CONTACT:

Flush with large quantities of water, holding the eyelids apart to assure that the material is washed out. Get medical attention if irritation persists.

#### SKIN CONTACT:

Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation develops.

#### INGESTION:

If conscious, wash mouth out with water. Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Get medical attention.

#### INHALATION:

If irritation or other symptoms develop, remove to fresh air. Get medical attention if symptoms persist.

### 5 – FIRE FIGHTING PROCEDURES

#### EXTINGUISHING MEDIA:

This material is not combustible in solid form. Use media that is appropriate for the surrounding fire. For fires involving fine dust of filings, do not use water, CO<sub>2</sub> or foam directly on the burning metal. Use dry sand, graphite powder, Lith-X powder, dry chemical or other media appropriate for a class D fire.

#### FIREFIGHTING PROCEDURES:

Firefighters should wear full emergency equipment and NIOSH approved positive pressure self-contained breathing apparatus.

#### UNUSUAL FIRE/EXPLOSION HAZARDS:

Fine powders or filings may burn with intense heat. Fine dust may present an explosion hazard. Dousing burning metal with water may generate explosive hydrogen gas.

#### KNOWN OR ANTICIPATED HAZARDOUS PRODUCTS OF COMBUSTION:

Thermal decomposition or combustion products include oxides of the metals listed in Section 2 which may be highly toxic.

### 6 – ACCIDENTAL RELEASE MEASURES

#### ACCIDENTAL RELEASE MEASURES:

Pick up solid material for reuse or disposal. For spills of dust, wear respirator and protective clothing (see Section 8). Vacuum using an explosion-proof, HEPA vacuum and non-sparking tools. Do not breathe dust or allow it to contaminate skin or clothing. Spill and release reporting requirements vary. Consult local authorities regarding requirements.

#### PERSONAL PRECAUTIONS:

Avoid contact with eyes, skin or clothing. Do not breathe dust.

#### ENVIRONMENTAL PRECAUTIONS:

Prevent entry into sewers and waterways.

### 7 – HANDLING & STORAGE

#### HANDLING:

Do not breathe dust or fumes from processing. Avoid contact with dust. Wear protective clothing and equipment as described in Section 8. Process only with adequate ventilation. Keep containers closed when not in use. Do not eat, drink or smoke in the work area.

#### STORAGE:

Store in a cool, well ventilated location away from incompatible materials.

### COMPANY INFORMATION

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

### NICKEL TITANIUM

|                         |                   |
|-------------------------|-------------------|
| <b>DOCUMENT NUMBER:</b> | <b>SDS1</b>       |
| <b>REVISION DATE:</b>   | <b>09/26/2014</b> |
| <b>REVISION:</b>        | <b>REV. E</b>     |
| <b>NUMBER OF PAGES:</b> | <b>4</b>          |

### 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

#### OCCUPATIONAL EXPOSURE LIMITS:

|                                |   |
|--------------------------------|---|
| Nickel<br>(as metallic Nickel) | 1 mg/m <sup>3</sup> TWA OSHA PEL<br>1.5 mg/m <sup>3</sup> TWA (inhalable) ACGIH TLV<br>0.5 mg/m <sup>3</sup> TWA UK WEL |
| Titanium                       | None Established  |

#### ENGINEERING CONTROLS:

None needed under normal use. If dust or fumes are generated during processing, use with adequate local exhaust ventilation to maintain exposures below the occupational exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT:

#### EYE PROTECTION:

Wear safety glasses or other eye protection consistent with industrial safety practice for the process being performed.

#### SKIN PROTECTION:

Wear protective gloves if need to prevent cuts or other injuries.

#### RESPIRATORY PROTECTION:

None needed under normal use. If the occupational exposure limits are exceeded during processing, an approved respirator with high efficiency particulate filters may be used. For higher exposures (greater than 10 times the exposure limit) a supplied air respirator may be required. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134, ANSI Z88.2 or local authority regulations and good Industrial Hygiene practice.

#### OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Use protective clothing consistent with industrial safety practice for the process being performed.

### 9 – PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE and ODOR:** Silver or black wire with no odor.

**BOILING POINT:** Not Applicable.

**FREEZING POINT:** Not available.

**SOLUBILITY IN WATER:** Insoluble.

**VAPOR PRESSURE (mmHg):** Not Applicable.

**EVAPORATION RATE:** Not Applicable.

**% VOLATILE BY VOLUME:** None.

#### FLAMMABLE LIMITS IN AIR:

LEL: Not Applicable.  
UEL: Not Applicable.

**MELTING POINT:** 1981°F

**SPECIFIC GRAVITY:** Not Available.

**pH:** Not Applicable.

**VAPOR DENSITY:** Not Applicable.

**VISCOSITY:** Not Applicable.

**FLASHPOINT:** Not Applicable.

**AUTOIGNITION TEMPERATURE:** Not Applicable.

### 10 – STABILITY AND REACTIVITY

**STABILITY:** Stable.

**CONDITIONS TO AVOID:** None known.

#### INCOMPATIBILITY WITH OTHER MATERIALS:

Acids, oxidizing agents, ammonium nitrate, sulfur, alkalis, selenium, nickel nitrate and sodium azide.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

Toxic metal fumes and oxides are emitted when product is heated above the melting point.

### 11 – TOXICOLOGICAL INFORMATION

#### POTENTIAL HEALTH EFFECTS:

##### EYES:

Dust or fines may cause mechanical irritation.

##### SKIN:

Dust may cause skin irritation. May cause allergic skin reaction (sensitization).

##### INGESTION:

No acute effects expected from swallowing small amounts.

##### INHALATION:

Dust or fumes may cause irritation of the mucous membranes and upper respiratory tract. May cause allergic respiratory reaction (sensitization).

##### CHRONIC HEALTH EFFECTS:

Prolonged or repeated skin contact may cause sensitization. Prolonged inhalation of dust may cause lung damage, fibrotic lung disease and effects on the cardiovascular system. Prolonged inhalation of nickel dust or fumes may cause perforation of the nasal septum and lung damage.

### COMPANY INFORMATION

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

#### CARCINOGENICITY:

Nickel compounds (may be formed in welding) are classified by IARC as known human carcinogens (Group 1) and by NTP as "Known Human Carcinogens". Metallic nickel is classified by IARC as possibly carcinogenic to humans (Group 2B) and by NTP as "Reasonably Anticipated to be a Carcinogen".

#### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Individuals with pre-existing skin disorders may be at increased risk from exposure.

#### ACUTE TOXICITY DATA:

Nickel: No data available  
 Titanium: No data available

### 12 – ECOLOGICAL INFORMATION

No data is available at this time.

### 13 – DISPOSAL CONSIDERATIONS

Dispose in accordance with national and local regulations.

### 14 – TRANSPORT INFORMATION

DOT SHIPPING NAME: Not Regulated  
 DOT HAZARD CLASS: N/A  
 UN NUMBER: N/A  
 DOT LABELS REQUIRED (49CFR172.101): N/A

IATA SHIPPING NAME: Not Regulated  
 IATA HAZARD CLASS: N/A  
 UN NUMBER: N/A  
 IATA HAZARD LABELS REQUIRED: N/A

IMDG SHIPPING NAME: Not Regulated  
 IMDG CLASS: N/A  
 UN NUMBER: N/A  
 IMDG LABEL: N/A

### 15 – REGULATORY INFORMATION

#### U.S. FEDERAL REGULATIONS:

**CERCLA:** This product has a Reportable Quantity (RQ) of 166 lbs. based on the RQ for Nickel of 100 lbs. Releases above the RQ must be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA TITLE III:  
 Hazard Category For Section 311/312:  
 Not hazardous unless processing creates dusts or fumes.

### NICKEL TITANIUM

|                         |                   |
|-------------------------|-------------------|
| <b>DOCUMENT NUMBER:</b> | <b>SDS1</b>       |
| <b>REVISION DATE:</b>   | <b>09/26/2014</b> |
| <b>REVISION:</b>        | <b>REV. E</b>     |
| <b>NUMBER OF PAGES:</b> | <b>4</b>          |

#### SECTION 313 TOXIC CHEMICALS:

This product contains the following chemicals subject to Annual Release Reporting Requirements. UNDER SARA TITLE III, SECTION 313 (40 CFR 372):

|        |           |       |
|--------|-----------|-------|
| Nickel | 7440-02-0 | 45-60 |
|--------|-----------|-------|

#### SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (TPQ):

None

#### EPA TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS:

This product is a medical device and not subject to chemical notification requirements.

#### U.S. STATE REGULATIONS:

#### CALIFORNIA PROPOSITION 65:

This product contains the following substances known to the State of California to cause cancer: Nickel.

#### INTERNATIONAL REGULATIONS:

#### CANADIAN WHMIS CLASSIFICATION:

Medical devices are not subject to WHMIS.

#### CANADIAN ENVIRONMENTAL PROTECTION ACT:

This product is a medical device and not subject to chemical notification requirements.

#### EUROPEAN COMMUNITY LABELING:

This product is a manufactured article as defined under REACH. No labeling is required for finished products. **The following applies only to dust and fumes generated from processing:**

Contains nickel



Harmful

**R40** Limited evidence of carcinogenic effect.  
**R43** May cause sensitization by skin contact.  
**R48/23 Toxic:** danger of serious damage to health by prolonged exposure through inhalation.  
**S36/37** Wear suitable protective clothing and gloves.  
**S45** In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)  
**S59** Refer to manufacturer/supplier for information on recovery/recycling.  
**S61** Avoid release to the environment. Refer to Safety data sheet.

#### EUROPEAN INVENTORY OF NEW AND EXISTING CHEMICALS SUBSTANCES (EINECS):

This product is a medical device and not subject to chemical notification requirements.

#### AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES:

This product is a medical device and not subject to chemical notification requirements.

**COMPANY INFORMATION**

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

| <b>NICKEL TITANIUM</b>  |                   |
|-------------------------|-------------------|
| <b>DOCUMENT NUMBER:</b> | <b>SDS1</b>       |
| <b>REVISION DATE:</b>   | <b>09/26/2014</b> |
| <b>REVISION:</b>        | <b>REV. E</b>     |
| <b>NUMBER OF PAGES:</b> | <b>4</b>          |

**CHINA INVENTORY OF EXISTING CHEMICALS AND CHEMICAL SUBSTANCES:**  
 This product is a medical device and not subject to chemical notification requirements.

**JAPANESE EXISTING AND NEW CHEMICAL SUBSTANCES:**  
 This product is a medical device and not subject to chemical notification requirements.

**KOREAN EXISTING CHEMICALS LIST:**  
 This product is a medical device and not subject to chemical notification requirements.

**PHILIPPINE INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES:**  
 This product is a medical device and not subject to chemical notification requirements.

**16 – OTHER INFORMATION**

**HMIS Hazard Rating:**

Health –1\*                      Fire Hazard – 1    Physical Hazard – 0  
 \* Chronic Health Hazard

**EU CLASSES AND RISK PHRASES FOR REFERENCE (SEE SECTIONS 2 AND 3):**

|               |  |
|---------------|--|
| Xn            | Harmful  |
| R40           | Limited evidence of carcinogenic effect.                                     |
| R43           | May cause sensitization by skin contact.                                     |
| R48/23 Toxic: | Danger of serious damage to health by prolonged exposure through inhalation. |

**Revision Date:** 4/22/2010  
**Supersedes:** New MSDS

### COMPANY INFORMATION

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

| <b>BETA TITANIUM</b>    |                  |
|-------------------------|------------------|
| <b>DOCUMENT NUMBER:</b> | <b>SDS3</b>      |
| <b>REVISION DATE:</b>   | <b>4/01/2014</b> |
| <b>REVISION:</b>        | <b>REV. D</b>    |
| <b>NUMBER OF PAGES:</b> | <b>4</b>         |

### 1 – PRODUCT IDENTIFICATION

**PRODUCT NAME:** *BIII™-CNA® Wire*  
**PRODUCT USE:** Orthodontic Archwires and Straights

### 2 – HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

These products are not hazardous unless processed (i.e. ground, welded) in a manner that generates dust or fumes. Dust and fumes may cause eye, skin and respiratory irritation.

#### EU PREPARATION CLASSIFICATION (1999/45/EC):

Not a dangerous preparation

### 3 – COMPOSITION INFORMATION ON INGREDIENTS

| Ingredient | CAS No./EINECS No.    | Percent | EC Substance Classification (67/548/EEC) |
|------------|-----------------------|---------|--|
| Molybdenum | 7439-98-7 / 231-107-2 | 10-20   | N/A                                      |
| Zirconium  | 7440-67-7 / 231-176-9 | 5-10    | N/A                                      |
| Tin        | 7440-31-5 / 231-141-8 | 1-5     | N/A                                      |
| Titanium   | 7440-32-6 / 231-142-3 | 60-85   | N/A                                      |

### 4 – FIRST AID MEASURES

No first aid required for contact with solid product. The following information applies to contact from processing.

#### EYE CONTACT:

Flush with large quantities of water, holding the eyelids apart to assure that the material is washed out. Get medical attention if irritation persists.

#### SKIN CONTACT:

Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation develops.

#### INGESTION:

If conscious, wash mouth out with water. Do not induce vomiting. Never give any thing by mouth to an unconscious or convulsing person. Get medical attention.

#### INHALATION:

If irritation or other symptoms develop, remove to fresh air. Get medical attention if symptoms persist.

### 5 – FIRE FIGHTING PROCEDURES

#### EXTINGUISHING MEDIA:

This material is not combustible in solid form. Use media that is appropriate for the surrounding fire. For fires involving fine dust or filings, do not use water, CO2 or foam directly on the burning metal. Use dry sand, graphite powder, Lith-X powder, dry chemical or other media appropriate for a class D fire.

#### FIREFIGHTING PROCEDURES:

Firefighters should wear full emergency equipment and NIOSH approved positive pressure self-contained breathing apparatus.

#### UNUSUAL FIRE/EXPLOSION HAZARDS:

Fine powders or filings may burn with intense heat. Fine dust may present an explosion hazard. Dousing burning metal with water may generate explosive hydrogen gas.

#### KNOWN OR ANTICIPATED HAZARDOUS PRODUCTS OF COMBUSTION:

Thermal decomposition or combustion products include oxides of the metals listed in Section 2 which may be highly toxic.

### 6 – ACCIDENTAL RELEASE MEASURES

#### ACCIDENTAL RELEASE MEASURES:

Pick up solid material for reuse or disposal. For spills of dust, wear respirator and protective clothing (see Section 8). Vacuum using an explosion-proof, HEPA vacuum and non-sparking tools. Do not breathe dust or allow it to contaminate skin or clothing. Spill and release reporting requirements vary. Consult local authorities regarding requirements.

#### PERSONAL PRECAUTIONS:

Avoid contact with eyes, skin or clothing. Do not breathe dust.

#### ENVIRONMENTAL PRECAUTIONS:

Prevent entry into sewers and waterways.

### 7 – HANDLING & STORAGE

#### HANDLING:

Do not breathe dust or fumes from processing. Avoid contact with dust. Wear protective clothing and equipment as described in Section 8. Process only with adequate ventilation. Keep containers closed when not in use. Do not eat, drink or smoke in the work area.

#### STORAGE:

Store in a cool, well ventilated location away from incompatible materials.

### COMPANY INFORMATION

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

### BETA TITANIUM

|                         |                  |
|-------------------------|------------------|
| <b>DOCUMENT NUMBER:</b> | <b>SDS3</b>      |
| <b>REVISION DATE:</b>   | <b>4/01/2014</b> |
| <b>REVISION:</b>        | <b>REV. D</b>    |
| <b>NUMBER OF PAGES:</b> | <b>4</b>         |

### 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

#### OCCUPATIONAL EXPOSURE LIMITS:

|            |   |
|------------|---|
| Molybdenum | 15 mg/m3 TWA OSHA PEL (total dust)<br>3 mg/m3 TWA ACGIH TLV (respirable fraction)   |
| Zirconium  | 5 mg/m3 TWA OSHA PEL (as zirconium compounds)<br>5 mg/m3 TWA ACGIH TLV<br>2 mg/m3 TWA OSHA PEL<br>1 mg/m3 TWA DFG MAK<br>5 mg/m3 TWA UK WEL; 10 mg/m3 STEL UK WEL |
| Tin        | 2 mg/m3 TWA OSHA PEL<br>2 mg/m3 TWA ACGIH TLV<br>2 mg/m3 TWA UK, WEL, 4 mg/m3 STEL UK WEL<br>(as tin inorganic compounds)   |
| Titanium   | None Established  |

#### ENGINEERING CONTROLS:

None needed under normal use. If dust or fumes are generated during processing, use with adequate local exhaust ventilation to maintain exposures below the occupational exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT:

##### EYE PROTECTION:

Wear safety glasses or other eye protection consistent with industrial safety practice for the process being performed.

##### SKIN PROTECTION:

Wear protective gloves if need to prevent cuts or other injuries.

##### RESPIRATORY PROTECTION:

None needed under normal use. If the occupational exposure limits are exceeded during processing, an approved respirator with high efficiency particulate filters may be used. For higher exposures (greater than 10 times the exposure limit) a supplied air respirator may be required. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134, ANSI Z88.2 or local authority regulations and good Industrial Hygiene practice.

##### OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Use protective clothing consistent with industrial safety practice for the process being performed.

### 9 – PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Silver wire.  
**ODOR/FLAVOR:** No odor.  
**BOILING POINT:** Not applicable.  
**FREEZING POINT:** Not available.  
**SOLUBILITY IN WATER:** Insoluble.  
**VAPOR PRESSURE (mmHg):** Not Applicable.  
**EVAPORATION RATE:** Not Applicable.  
**% VOLATILE BY VOLUME:** None.  
**FLAMMABLE LIMITS IN AIR:** LEL: Not Applicable.  
 UEL: Not Applicable.  
**MELTING POINT:** 3050°F  
**SPECIFIC GRAVITY:** Not Available.  
**pH:** Not Applicable.  
**VAPOR DENSITY:** Not Applicable.  
**VISCOSITY:** Not applicable.  
**FLASHPOINT:** Not applicable.  
**AUTOIGNITION TEMPERATURE:** Not applicable.

### 10 – STABILITY AND REACTIVITY

**STABILITY:** Stable.  
**CONDITIONS TO AVOID:** None known.  
**INCOMPATIBILITY WITH OTHER MATERIALS:**  
 Acids, alkalis, oxidizing agents, potassium nitrate and turpentine.  
**HAZARDOUS DECOMPOSITION PRODUCTS:**  
 Metal fumes and oxides are emitted when product is heated above the melting point.

### 11 – TOXICOLOGICAL INFORMATION

#### POTENTIAL HEALTH EFFECTS:

**EYES:**  
 Dust or fines may cause mechanical irritation.  
**SKIN:**  
 Dust may cause skin irritation.  
**INGESTION:**  
 No acute effects expected from swallowing small amounts.

### COMPANY INFORMATION

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

| <b>BETA TITANIUM</b>     |                  |
|--------------------------|------------------|
| <b>DDOCUMENT NUMBER:</b> | <b>SDS3</b>      |
| <b>REVISION DATE:</b>    | <b>4/01/2014</b> |
| <b>REVISION:</b>         | <b>REV. D</b>    |
| <b>NUMBER OF PAGES:</b>  | <b>4</b>         |

#### INHALATION:

Dust or fumes may cause irritation of the mucous membranes and upper respiratory tract.

#### CHRONIC HEALTH EFFECTS:

Prolonged inhalation of dust may cause lung damage, fibrotic lung disease, and effects on the cardiovascular system. Chronic exposure to tin oxide dusts and fumes may result in stannosis (benign pneumoconiosis). Repeated skin contact with zirconium compounds may cause allergic skin sensitization.

#### CARCINOGENICITY:

None of these components are listed as carcinogens by IARC, NTP, ACGIH, OSHA or the EU Directive.

#### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Individuals with pre-existing skin disorders may be at increased risk from exposure.

#### ACUTE TOXICITY DATA:

MOLYBDENUM : No data available  
 ZIRCONIUM: No data available  
 TIN: No data available  
 TITANIUM : No data available

### 12 – ECOLOGICAL INFORMATION

No data is available at this time.

### 13 – DISPOSAL CONSIDERATIONS

Dispose in accordance with national and local regulations.

### 14 – TRANSPORTATION INFORMATION

DOT SHIPPING NAME: Not Regulated  
 DOT HAZARD CLASS: N/A  
 UN NUMBER: N/A  
 DOT LABELS REQUIRED (49CFR172.101): N/A  
 IATA SHIPPING NAME: Not Regulated  
 IATA HAZARD CLASS: N/A

UN NUMBER: N/A  
 IATA HAZARD LABELS REQUIRED: N/A  
 IMDG SHIPPING NAME: Not Regulated  
 IMDG CLASS: N/A  
 UN NUMBER: N/A  
 IMDG LABEL: N/A  
 pH: Not Applicable.  
 VAPOR DENSITY: Not Applicable.  
 VISCOSITY: Not applicable.  
 FLASHPOINT: Not applicable.  
 AUTOIGNITION TEMPERATURE: Not applicable.

### 15 – REGULATORY INFORMATION

#### U.S. FEDERAL REGULATIONS:

**CERCLA:** This product is not regulate under CERCLA. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA TITLE III:  
 HAZARD CATEGORY FOR SECTION 311/312:  
 Not hazardous unless processing creates dusts or fumes.

SECTION 313 TOXIC CHEMICALS: This product contains the following chemicals subject to Annual Release Reporting Requirements. UNDER SARA TITLE III, SECTION 313 (40 CFR 372): NONE

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (TPQ): None

EPA TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS:  
 This product is a medical device and not subject to chemical notification requirements.

#### U.S. STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:  
 This product contains the following substances known to the State of California to cause cancer: None

#### INTERNATIONAL REGULATIONS:

CANADIAN WHMIS CLASSIFICATION:

**COMPANY INFORMATION**

**COMPANY NAME:** ORTHO SPECIALTIES  
**COMPANY ADDRESS:** 3820 OHIO AVE - SUITE 15  
 ST. CHARLES, IL 60174  
**COMPANY PHONE:** 630-443-0225  
**COMPANY FAX:** 630-443-0224  
**COMPANY WEB ADDRESS:** www.orthospecialties.com

|                         |                  |
|-------------------------|------------------|
| <b>BETA TITANIUM</b>    |                  |
| <b>DOCUMENT NUMBER:</b> | <b>SDS3</b>      |
| <b>REVISION DATE:</b>   | <b>4/01/2014</b> |
| <b>REVISION:</b>        | <b>REV. D</b>    |
| <b>NUMBER OF PAGES:</b> | <b>4</b>         |

Medical devices are not subject to WHMIS.

CANADIAN ENVIRONMENTAL PROTECTION ACT:

This product is a medical device and not subject to chemical notification requirements.

EUROPEAN COMMUNITY LABELING:

This product is a manufactured article as defined under REACH. No labeling is required for finished products.

EUROPEAN INVENTORY OF NEW AND EXISTING CHEMICALS SUBSTANCES (EINECS):

This product is a medical device and not subject to chemical notification requirements.

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES:

This product is a medical device and not subject to chemical notification requirements.

CHINA INVENTORY OF EXISTING CHEMICALS AND CHEMICAL SUBSTANCES:

This product is a medical device and not subject to chemical notification requirements.

JAPANESE EXISTING AND NEW CHEMICAL SUBSTANCES:

This product is a medical device and not subject to chemical notification requirements.

KOREAN EXISTING CHEMICALS LIST:

This product is a medical device and not subject to chemical notification requirements.

PHILIPPINE INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES:

This product is a medical device and not subject to chemical notification requirements.

**16 – OTHER INFORMATION**

HMIS Hazard Rating:

Health –1 Fire Hazard – 1 Physical Hazard – 0

\* Chronic Health Hazard

EU CLASSES AND RISK PHRASES FOR REFERENCE (SEE SECTIONS 2 AND 3): None listed

Revision Date: 4/22/2010

Supersedes: New MSDS